

Test 08 – Administration I - Oracle 10g

11. Which of the following is not a valid column name?
- A. 1ST_ID
 - B. CUST#
 - C. ADDRESS1
 - D. EXCEPTION
12. Oracle Advanced Security provides all the following except:
- A. Database profiles
 - B. Data encryption
 - C. Checksumming
 - D. Biometrics option
13. You have just issued the command `lsnrctl stop LISTENER`. Which of the following statements are not true? (Choose all that apply.)
- A. New connections to the default listener will not succeed.
 - B. Existing client connections will not be affected.
 - C. Only new dedicated connections will fail
 - D. Existing shared server connections will be dropped.
14. You issue the following command from the database server: `sqlplus scott/tiger` and receive the following error message: `ORA-01034: Oracle not available`. What is the state of the Oracle database:
- A. The database is open but in restricted mode.
 - B. The instance is started but is in MOUNT mode.
 - C. The database and the instance are not started.
 - D. The instance is started in NOMOUNT mode.
15. You connect to the database using the command `sqlplus scott/tiger@abc.com:1522/orcl`. To which database are you connecting?
- A. abc.com
 - B. tiger
 - C. orcl
 - D. scott
 - E. None of the above

- 16.** You are administering an Oracle database using Shared Server. The LARGE_POOL_SIZE is 50MB. You issue the command ALTER SYSTEM SET LARGE_POOL_SIZE = 100M SCOPE=MEMORY. You then shut down and restart the database. What will the LARGE_POOL_SIZE be?
- A.** 50MB
 - B.** 100MB
 - C.** The default LARGE_POOL_SIZE
 - D.** The LARGE_POOL_SIZE as you have set it in the Oracle SPFILE that you are using
- 17.** You have decided to implement connection pooling and set a timeout limit of 20 minutes for idle connections. You also want to support 500 concurrent connections with a maximum of 1500 sessions per dispatcher. Which of the following commands will accomplish this?
- A.** Dispatchers = "(PRO=TCP)(DIS=5)(POO=ON)(TICK=20)(CONN=500)(SESS=1500)"
 - B.** Dispatchers = "(PRO=TCP)(DIS=5)(POO=ON)(TICK=2)(CONN=500)(SESS=1500)"
 - C.** Dispatchers = "(PRO=TCP)(DIS=5)(POO=ON)(TICK=20)(CONN=1500)(SESS=500)"
 - D.** Dispatchers = "(PRO=TCP)(DIS=5)(POOLING=ON)(TICK=20)(CONN=500)(SESS=1500)"
- 18.** You issue the command lsnrctl services. What pieces of information can you see regarding shared server connections for each dispatcher listed? (Choose all that apply.)
- A.** Established connections
 - B.** Refused connections
 - C.** Idle connections
 - D.** Current connections
 - E.** All the above
- 19.** What status would you expect to see when querying V\$DISPATCHER for a dispatcher that is not currently servicing any client requests?
- A.** IDLE
 - B.** WAIT
 - C.** SLEEP
 - D.** READY
 - E.** None of the above
- 20.** Which of the following statements sets the password for user simon to alakazaam?
- A.** alter user simon password alakazaam;
 - B.** update user simon set password=alakazaam;
 - C.** alter user simon identified by alakazaam;
 - D.** set password=alakazaam for simon;

Référence : OCA Administration I Oracle 10g

By Chip Dawes, Bob Bryla, Joseph C. Johnson and Matthew Weishan